

Threaded Female Tee with Brass		
	Size (Plastic X Brass)	
	in x in	mm x mm
	1/2 x 1/2	20 x 20
	1/2 x 3/4	20 x 25
	3/4 x 1/2	25 x 20
	3/4 x 3/4	25 x 25
	1 x 1/2	32 x 20
	1 x 3/4	32 x 25
	1 x 1	32 x 32
	1-1/4 x 1-1/4	40 x 40

Ball Valve with Double Union (Plastic / Plastic)		
	Size	
	in	mm
	1/2	20
	3/4	25
	1	32
	1-1/4	40
	1-1/2	50
	2	63

Threaded Male Tee with Brass		
	Size (Plastic X Brass)	
	in x in	mm x mm
	1/2 x 1/2	20 x 20
	1/2 x 3/4	20 x 25
	3/4 x 1/2	25 x 20
	3/4 x 3/4	25 x 25
	3/4 x 1	25 x 32
	1 x 1/2	32 x 20
	1 x 3/4	32 x 25
	1 x 1	32 x 32
	1-1/4 x 1-1/4	40 x 40

Ball Valve		
	Size	
	in	mm
	1/2	20
	3/4	25
	1	32
	1-1/4	40
	1-1/2	50
	2	63

Union Coupling		
	Size (Plastic X Plastic)	
	in x in	mm x mm
	1/2 x 1/2	20 x 20
	3/4 x 3/4	25 x 25
	1 x 1	32 x 32
	1-1/4 x 1-1/4	40 x 40
	1-1/2 x 1-1/2	50 x 50
	2 x 2	63 x 63

Gate Valve		
	Size (Plastic X Plastic)	
	in x in	mm x mm
	1/2 x 1/2	20 x 20
	1/2 x 3/4	20 x 25
	1 x 1	32 x 32
	1-1/4 x 1-1/4	40 x 40
	1-1/2 x 1-1/2	50 x 50
	2 x 2	63 x 63

Union Coupling Female Thread		
	Size (Plastic X Brass)	
	in x in	mm x mm
	1/2 x 1/2	20 x 20
	1/2 x 3/4	20 x 25
	3/4 x 3/4	25 x 25
	1 x 1	32 x 32
	1-1/4 x 1-1/4	40 x 40
	1-1/2 x 1-1/2	50 x 50
	2 x 2	63 x 63

3 Gang Water Distributor with Brass Female Thread	
Size	
	3 x F 1/2 x 15cm x 63mm
	3 x F 3/4 x 15cm x 63mm

5 Gang Water Distributor with Brass Female Thread	
Size	
	5 x F 1/2 x 15cm x 63mm
	5 x F 3/4 x 15cm x 63mm

Clip		
	Size	
	in	mm
	1/2	20
	3/4	25
	1	32
	1-1/4	40
	1-1/2	50
	2	63

Pipe Cutter	
Size (mm)	
	20 - 40

Socket Fusion Machine		
Size		
	SHS20/63 (1/2" - 2")	
	SHS75/110 (2-1/2" - 4")	

Roller Pipe Cutter	
Size (mm)	
	50 - 110

**Installation Procedure**



1. Cut the PPR pipe in to desired length.



2. Clean both inside and outside of Pipe and Fittings using clean rug.



3. Warm the PPR pipe & Fitting internally & externally.



4. Connect the markings & ensure the precise connections.

**ATLANTA PPR**  
HOT & COLD WATER PIPING SOLUTION



**Better Leak Protection**  
**Slotted Brass Thread**  
**More Weight/pc.**  
**Thicker Wall**

*The First and most trusted PPR Pipe.*  
*Proudly Philippine Made.*

*Atlanta PPR conforms to DIN 8077 & 8078 standards for pipe and DIN 19560/16962 for fittings.*

- Non-Calcifiable • Non-Contracting Diameter • Low Thermal Conductivity • Flexible & Tough
- Environmental Friendly • Hygienic • Non-Toxic • Lightweight • Longer Life Span
- Smooth Internal Surface • Higher Level of Flow • Corrosion Resistance • Leak Proof
- Low Cost • Easy Installation • Heat Resistance



